


Glossary

12. October 2023



- advance planting, under planting
- afforestation
- allelopathy
- allocation
- allochthonous
- allometry
- Angle Count Sampling Bitterlich Sampling
- artificial generation
- autochthonous
- basal area
- biodiversity
- biotope
- cambium
- canopy density, canopy closure
- canopy density, crown closure class
- Carbon sink
- climax
- continuous forest
- coppice
- coppice management coppice forestry
- coppice with standards
- coupe
- crown
- crown surface area
- Current annual increment
- Cut-to-length harvesting
- cutting

- diameter at breast height (dbh)
- Diameter over Stubs (DOS)
- diaspore
- Direct seeding
- disturbance
- ecosystem
- elite tree, future tree, final crop tree, Z-stem
- Emergence
- emergent seed tree
- endemic
- Even-aged forest
- faggot
- fascine mattress
- fixed area plot
- flora
- Forest access development Forest infrastructure
- Forest Available for Wood Supply (FAWS)
- forest conversion
- forest management regulation
- Forest restoration
- fork, forked stem, twin-stem
- Formative pruning
- fructification
- gap cutting, group felling
- genet
- Grain
- group-selection system, irregular shelterwood system
- growing stock
- growing stock, standing crop, stocking
- habitat
- herbicide
- high forest

- high-value broadleaved (deciduous) tree, noble hardwood tree
- illuminance
- impoverishment, depletion
- increment
- Initiation zone
- invasive
- lammas shoot
- leaf area index (LAI)
- light demanding tree, shade intolerant tree
- light increment
- logging residue, felling waste
- Main forest road network
- mast
- Mean annual increment
- meristem
- (Mirror) Relascope
- mixed stand/forest
- monocormic crown
- monopodial growth
- natural age class
- Natural disturbance
- natural forest
- natural regeneration
- Net annual increment (NAI)
- nursery, tree farm
- Panel products
- pioneer
- pioneer crop, nurse crop
- planting stock
- pole stage
- pollard
- polycormic crown

- preregeneration, advance reproduction, volunteer growth
- primary forest, virgin forest, native forest
- primary growth
- production class, yield level, carrying capacity
- protective forest
- provenance
- pruning
- pseudogley
- Pulpwood
- Quality timber
- reforestation
- regeneration
- regeneration, reproduction
- reserve
- resilience
- resistance
- river catchment area, basin, watershed
- rotation period
- Roundwood
- Runout zone
- Sawlog
- Sawmill
- Sawnwood
- Scale
- secondary forest
- Secondary forest network skid trail network
- secondary growth
- selection forest selection cutting selection system
- Self-pruning
- shade tolerance, shade endurance
- shade tolerant tree species
- shelter, canopy

- shredding
- silvicultural system
- site
- Site index
- slenderness
- soil type
- spacing interval
- stand stock density
- stand table
- (stand) tending
- Starting zone
- stem-only harvesting
- Stem raising
- Stemwood
- stool
- stratification
- strip cutting, strip felling
- succession
- suited to site, site adapted
- Sustainable Forest Management (SFM)
- tanbark
- taper
- target diameter, exploitable size
- thicket stage, regeneration
- thinning
- thinning intensity
- timber
- top height
- total volume production, total yield
- Transit zone
- tree class
- type of thinning

- underplanting
- Veneer log
- volume
- Volume Removed as thinnings
- Volume Standing after thinning
- weeding, cleaning, tending regeneration
- Whole-tree harvesting
- wild seedling
- wolf tree
- wood assortment
- wood of high quality, valuable timber
- woodland pasture, grazing forest
- yield, growth capacity
- yield table